ELSEVIER

Journal of Organometallic Chemistry 652 (2002) 113

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Author Index of Volume 652

Adams, R.D., 1, 51
Akiyama, S., 3

Bäckvall, J.-E., 105
Barbe, J.-M., 69
Bays, J.T., 95
Bitterwolf, T.E., 95
Brosius, K.M., 51
Bunz, U.H.F., 21
Burdet, F., 69
Burke, J.M., 77

Coapes, R.B., 77

Evans, W.J., 61

Franz, J., 95

Guilard, R., 69

Hascall, T., 37
Howard, J.A.K., 77

Janak, K.E., 37
Jérôme, F., 69

Kadish, K.M., 69
Kwon, O.-S., 51

Laskoski, M., 21
Linehan, J.C., 95

Ma, K., 11
Marder, T.B., 77
Mingos, D.M.P., 87
Morton, J.G.M., 21
Murphy, V.J., 37

Nagahama, N., 31
Nakamura, E., 31
Nguyen, P., 77

Ou, Z., 69

Parkin, G., 37
Poli, R., 95

Rais, D., 87

Sawamura, M., 31
Scallorn, W.B., 95
Scheibitz, M., 11
Scholz, S., 11
Shao, J., 69
Smith, M.D., 21

Tamao, K., 3
Taylor, N.J., 77
Toganoh, M., 31

Vilar, R., 87

Wagner, M., 11
Weiss, C.A., 95
White, A.J.P., 87
Williams, D.J., 87
Woodward, A.D., 77

Yamaguchi, S., 3

PII: S0022-328X(02)01488-2

ELSEVIER

Journal of Organometallic Chemistry 652 (2002) 115–116

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Subject Index of Volume 652

Actinide
Recent advances in f element reduction chemistry, 61
Alkenyl
Regioselective penta-addition of 1-alkenyl copper reagent to [60]fullerene. Synthesis of penta-alkenyl FCp ligand, 31
Alkynes
A simple route to (tetraethynylcyclobutadiene)cyclopentadienylcobalt, 21
Alkynyl ligands
Directing role of anions in the syntheses of the silver–alkynyl cages $[Ag_{14}(C{\equiv}C^tBu)_{12}X][BF_4]$ (X = F, Cl, Br) and silver–alkynyl polymers $[Ag_3(C{\equiv}C^tBu)_2(X)]_n$ (X = Tos, NO_3), 87
Amine derivatives
Photochemical intermediates of *trans*-$Rh(CO)L_2Cl$ where L = PMe_3, PBu_3, and *i*-Pr_2HN and *cis*-$Rh(CO)_2$(*i*-Pr_2HN)Cl in frozen organic glasses, 95
Anions
Directing role of anions in the syntheses of the silver–alkynyl cages $[Ag_{14}(C{\equiv}C^tBu)_{12}X][BF_4]$ (X = F, Cl, Br) and silver–alkynyl polymers $[Ag_3(C{\equiv}C^tBu)_2(X)]_n$ (X = Tos, NO_3), 87
Aryloxy
The syntheses and structures of coordinatively unsaturated aryloxy-hydride complexes of molybdenum, $Mo(PMe_3)_4(OAr)H$: reversible C–H bond activation and comparison with their tungsten analogues, 37

Boron
A new approach to photophysical properties control of main group element π-electron compounds based on the coordination number change, 3
Rhodium(I) catalysed diboration of (*E*)-styrylboronate esters: molecular structures of (*E*)-*p*-MeO–C_6H_4–CH=CH–B(1,2-$O_2C_6H_4$) and *p*-MeO–C_6H_4–$CH_2C\{B(1,2\text{-}O_2C_6H_4)\}_3$, 77

Cage compounds
Directing role of anions in the syntheses of the silver–alkynyl cages $[Ag_{14}(C{\equiv}C^tBu)_{12}X][BF_4]$ (X = F, Cl, Br) and silver–alkynyl polymers $[Ag_3(C{\equiv}C^tBu)_2(X)]_n$ (X = Tos, NO_3), 87
Carbon–hydrogen bond cleavage
The syntheses and structures of coordinatively unsaturated aryloxy-hydride complexes of molybdenum, $Mo(PMe_3)_4(OAr)H$: reversible C–H bond activation and comparison with their tungsten analogues, 37
Catalysis
The catalytic synthesis of thiacrowns from thiiranes by Group VI and VII transition metal carbonyl complexes, 51
Chromium carbonyl
The catalytic synthesis of thiacrowns from thiiranes by Group VI and VII transition metal carbonyl complexes, 51
Coordination number
A new approach to photophysical properties control of main group element π-electron compounds based on the coordination number change, 3
Coordination polymers
Applications of boron–nitrogen and boron–phosphorus adducts in organometallic chemistry, 11
Cp ligand
Regioselective penta-addition of 1-alkenyl copper reagent to [60]fullerene. Synthesis of penta-alkenyl FCp ligand, 31
Cyclobutadiene complexes
A simple route to (tetraethynylcyclobutadiene)cyclopentadienylcobalt, 21
Cyclopentadiene
Regioselective penta-addition of 1-alkenyl copper reagent to [60]fullerene. Synthesis of penta-alkenyl FCp ligand, 31

DFT analysis
Photochemical intermediates of *trans*-$Rh(CO)L_2Cl$ where L = PMe_3, PBu_3, and *i*-Pr_2HN and *cis*-$Rh(CO)_2$(*i*-Pr_2HN)Cl in frozen organic glasses, 95
Diborane (**4**)
Rhodium(I) catalysed diboration of (*E*)-styrylboronate esters: molecular structures of (*E*)-*p*-MeO–C_6H_4–CH=CH–B(1,2-$O_2C_6H_4$) and *p*-MeO–C_6H_4–$CH_2C\{B(1,2\text{-}O_2C_6H_4)\}_3$, 77
Diboration
Rhodium(I) catalysed diboration of (*E*)-styrylboronate esters: molecular structures of (*E*)-*p*-MeO–C_6H_4–CH=CH–B(1,2-$O_2C_6H_4$) and *p*-MeO–C_6H_4–$CH_2C\{B(1,2\text{-}O_2C_6H_4)\}_3$, 77

Ferrocene
Applications of boron–nitrogen and boron–phosphorus adducts in organometallic chemistry, 11
Fluorescence spectra
A new approach to photophysical properties control of main group element π-electron compounds based on the coordination number change, 3
Fullerene
Regioselective penta-addition of 1-alkenyl copper reagent to [60]fullerene. Synthesis of penta-alkenyl FCp ligand, 31

Hydride
The syntheses and structures of coordinatively unsaturated aryloxy-hydride complexes of molybdenum, $Mo(PMe_3)_4(OAr)H$: reversible C–H bond activation and comparison with their tungsten analogues, 37
Hydrogen transfer
Transition metal hydrides as active intermediates in hydrogen transfer reactions, 105

Lanthanide
Recent advances in f element reduction chemistry, 61
Lewis acid–base adducts
Applications of boron–nitrogen and boron–phosphorus adducts in organometallic chemistry, 11

Macrocyclic compounds
Applications of boron–nitrogen and boron–phosphorus adducts in

PII: S0022-328X(02)01489-4

organometallic chemistry, 11
Manganese carbonyl
The catalytic synthesis of thiacrowns from thiiranes by Group VI and VII transition metal carbonyl complexes, 51
Metal catalysis
Transition metal hydrides as active intermediates in hydrogen transfer reactions, 105
Metal hydrides
Transition metal hydrides as active intermediates in hydrogen transfer reactions, 105
Metallophilic interactions
Directing role of anions in the syntheses of the silver–alkynyl cages $[Ag_{14}(C{\equiv}C^tBu)_{12}X][BF_4]$ (X = F, Cl, Br) and silver–alkynyl polymers $[Ag_3(C{\equiv}C^tBu)_2(X)]_n$ (X = Tos, NO_3), 87
Molybdenum
The syntheses and structures of coordinatively unsaturated aryloxy-hydride complexes of molybdenum, $Mo(PMe_3)_4(OAr)H$: reversible C–H bond activation and comparison with their tungsten analogues, 37
Molybdenum carbonyl
The catalytic synthesis of thiacrowns from thiiranes by Group VI and VII transition metal carbonyl complexes, 51
Multiple addition
Regioselective penta-addition of 1-alkenyl copper reagent to [60]fullerene. Synthesis of penta-alkenyl FCp ligand, 31

Ohira-alkynylation
A simple route to (tetraethynylcyclobutadiene)cyclopentadienylcobalt, 21
Organocopper reagent
Regioselective penta-addition of 1-alkenyl copper reagent to [60]fullerene. Synthesis of penta-alkenyl FCp ligand, 31
Organometallic
Recent advances in f element reduction chemistry, 61
Organometallic polymers
Directing role of anions in the syntheses of the silver–alkynyl cages $[Ag_{14}(C{\equiv}C^tBu)_{12}X][BF_4]$ (X = F, Cl, Br) and silver–alkynyl polymers $[Ag_3(C{\equiv}C^tBu)_2(X)]_n$ (X = Tos, NO_3), 87

Phosphorus
A new approach to photophysical properties control of main group element π-electron compounds based on the coordination number change, 3
Photolysis
Photochemical intermediates of *trans*-$Rh(CO)L_2Cl$ where L = PMe_3, PBu_3, and *i*-Pr_2HN and *cis*-$Rh(CO)_2$(*i*-Pr_2HN)Cl in frozen organic glasses, 95
Physicochemical and electrochemical properties
Synthesis, physicochemical and electrochemical properties of metal–metal bonded ruthenium corrole homodimers, 69

Reduction
Recent advances in f element reduction chemistry, 61
Rhodium
Rhodium(I) catalysed diboration of (*E*)-styrylboronate esters: molecular structures of (*E*)-*p*-MeO–C_6H_4–CH=CH–B(1,2-$O_2C_6H_4$) and *p*-MeO–C_6H_4–$CH_2C\{B(1,2\text{-}O_2C_6H_4)\}_3$, 77
Ruthenium corrole homodimers
Synthesis, physicochemical and electrochemical properties of metal–metal bonded ruthenium corrole homodimers, 69

Silicon
A new approach to photophysical properties control of main group element π-electron compounds based on the coordination number change, 3
Silver
Directing role of anions in the syntheses of the silver–alkynyl cages $[Ag_{14}(C{\equiv}C^tBu)_{12}X][BF_4]$ (X = F, Cl, Br) and silver–alkynyl polymers $[Ag_3(C{\equiv}C^tBu)_2(X)]_n$ (X = Tos, NO_3), 87
Steric crowding
Recent advances in f element reduction chemistry, 61

Template synthesis
Directing role of anions in the syntheses of the silver–alkynyl cages $[Ag_{14}(C{\equiv}C^tBu)_{12}X][BF_4]$ (X = F, Cl, Br) and silver–alkynyl polymers $[Ag_3(C{\equiv}C^tBu)_2(X)]_n$ (X = Tos, NO_3), 87
Thiacrown, thiirane
The catalytic synthesis of thiacrowns from thiiranes by Group VI and VII transition metal carbonyl complexes, 51
Transfer hydrogenation
Transition metal hydrides as active intermediates in hydrogen transfer reactions, 105
Trimethylphosphine
The syntheses and structures of coordinatively unsaturated aryloxy-hydride complexes of molybdenum, $Mo(PMe_3)_4(OAr)H$: reversible C–H bond activation and comparison with their tungsten analogues, 37
tris(Boronate) ester
Rhodium(I) catalysed diboration of (*E*)-styrylboronate esters: molecular structures of (*E*)-*p*-MeO–C_6H_4–CH=CH–B(1,2-$O_2C_6H_4$) and *p*-MeO–C_6H_4–$CH_2C\{B(1,2\text{-}O_2C_6H_4)\}_3$, 77
tris(1-Pyrazolyl)borate ligands
Applications of boron–nitrogen and boron–phosphorus adducts in organometallic chemistry, 11
Tungsten
The syntheses and structures of coordinatively unsaturated aryloxy-hydride complexes of molybdenum, $Mo(PMe_3)_4(OAr)H$: reversible C–H bond activation and comparison with their tungsten analogues, 37
Tungsten carbonyl
The catalytic synthesis of thiacrowns from thiiranes by Group VI and VII transition metal carbonyl complexes, 51

UV–vis absorption spectra
A new approach to photophysical properties control of main group element π-electron compounds based on the coordination number change, 3
UV–vis spectroelectrochemical data
Synthesis, physicochemical and electrochemical properties of metal–metal bonded ruthenium corrole homodimers, 69

Vinylboronate ester
Rhodium(I) catalysed diboration of (*E*)-styrylboronate esters: molecular structures of (*E*)-*p*-MeO–C_6H_4–CH=CH–B(1,2-$O_2C_6H_4$) and *p*-MeO–C_6H_4–$CH_2C\{B(1,2\text{-}O_2C_6H_4)\}_3$, 77